Are You Ready For Your Fire Inspection?



Your business is due for the **Annual Fire Inspection** next month. We want to provide efficient and effective inspections, correct any violations found, and educate owners/managers on the importance of fire prevention code compliance.

The majority of fire code violations discovered during our inspections are related to the following items. Please review the <u>checklist</u> to prepare your business and correct any deficiencies before your inspection. This will ensure you pass your inspection and keep your business safe year-round.

Emergency Lights and Exit Fire Sprinkler and Fire Alarm \square \square Signs must work properly in Systems must be tested and both normal and emergency inspected annually by a power modes when tested. qualified licensed contractor. **Electrical Outlets, Junction** Fire Extinguishers must be \square $\mathbf{\nabla}$ visible and accessible, Boxes, and Circuit Breaker mounted properly and serviced Panels must have appropriate annually by a qualified licensed cover plates in place. contractor. **Electrical Extension Cords Fire Suppression for Kitchen** cannot be used for permanent Hoods must be tested and wiring. Grounded multi-outlet

Hoods must be tested and inspected by a qualified licensed contractor. Exhaust hoods and ducts must be inspected and cleaned at regular intervals.

✓ Click <u>here</u> for a comprehensive fire safety checklist for your business.

For more information on the Office of Fire Prevention, please click here.



Not required, but you may schedule a specific date and time for your inspection. Call or email one of our Inspectors:

Tyler Balcom tbalcom@northportfl.gov 941-240-8166

power strips may be used to power computers and related

Exit Doors, and Aisles,

Pathways and Walkways

leading to exits must be clear

equipment.

of obstructions.

Matt Brennan mbrennan@northportfl.gov 941-240-8177



Fire is Everyone's Fight®

NORTH PORT FIRE RESCUE DISTRICT FIRE PREVENTION DIVISION

4980 City Center Blvd

North Port, FL 34286

